



Air Preparation Units

Filters, Regulators, and Lubricators

aerospace
climate control
electromechanical
filtration
fluid & gas handling
hydraulics
pneumatics
process control
sealing & shielding



ENGINEERING YOUR SUCCESS.



Jamieson Equipment Company
www.jamiesonequipment.com
toll free 800.875.0280

Product Selection Chart

| Basic Unit | Series | Port Size (inches) | | | | | | Bowls | | | Capacity | Elements (Micron) | Page | |
|--|-------------|--------------------|-----|-----|-----|-----|---|-------|---------------------|-------|----------|-------------------|--------------------------------|----|
| | | 1/8 | 1/4 | 3/8 | 1/2 | 3/4 | 1 | 1 1/2 | Poly | Metal | | Metal SG* | | 5 |
| F I L T E R S | 14F | X | X | | | | | | X | X | N/A | 1 oz. | Standard | 10 |
| | FF504 | | X | | | | | | 316 Stainless Steel | | | 1 oz. | Standard | 12 |
| | 05F | | X | X | | | | | X | N/A | X | 2 oz. | Standard | 14 |
| | 06F | | X | X | X | | | | X | N/A | X | 4.4 oz. | Standard | 16 |
| | FF10 | | | | X | | | | 316 Stainless Steel | | | 4 oz. | Standard | 18 |
| | 07F | | | X | X | X | | | X | N/A | X | 7.2 oz. | Standard | 20 |
| | P3NF | | | | | X | X | X | N/A | N/A | X | 18 oz. | Standard | 22 |
| C O A L E S C E R S | Q*S, H*S | X | X | | | | | | X | X | N/A | 1 oz. | Grade 6 Std., Grade 10 Opt. | 26 |
| | FF501 | | X | | | | | | 316 Stainless Steel | | | 1 oz. | Grade 6 | 28 |
| | 15F | | X | X | | | | | X | N/A | X | 2 oz. | Grade 6 Std., Grade 10 Opt. | 30 |
| | 11F | | X | X | X | | | | X | N/A | X | 4.4 oz. | Grade 6 Std., Grade 10 Opt. | 32 |
| | FF11 | | | | X | | | | 316 Stainless Steel | | | 4 oz. | Grade 6 | 34 |
| | 12F | | | X | X | X | | | X | N/A | X | 7.2 oz. | Grade 6 Std., Grade 10 Opt. | 36 |

| Basic Unit | Series | Port Size (inches) | | | | | | Spring | Page | |
|---|--------|--------------------|-----|-----|-----|-----|---|--------|----------|-----|
| | | 1/8 | 1/4 | 3/8 | 1/2 | 3/4 | 1 | 1 1/2 | | 125 |
| S T A N D A R D P I L O T | 14R | X | X | | | | | | Standard | 40 |
| | FR364 | | X | | | | | | Standard | 42 |
| | 05R | | X | X | | | | | Standard | 44 |
| | 06R | | X | X | X | | | | Standard | 46 |
| | FR10 | | | | X | | | | Standard | 48 |
| | 07R | | | X | X | X | | | Standard | 50 |
| | P3NR | | | | | X | X | X | Standard | 52 |
| | 11R | | X | X | X | | | | - | 54 |
| | 12R | | | X | X | X | | | - | 56 |

* sight gauge



Product Selection Chart

| Basic Unit | Series | Port Size (inches) | | | | | | | Bowls | | | Capacity | Elements (Micron) 5 | Spring Range | Page | |
|-----------------------------------|---------------|--------------------|-----|-----|-----|-----|---|-------|---------------------|-------|-----------|-------------------------------------|-------------------------------------|--------------|----------|-----|
| | | 1/8 | 1/4 | 3/8 | 1/2 | 3/4 | 1 | 1 1/2 | Poly | Metal | Metal SG* | | | 125 | | |
| F I L T E R / R E G U L A T O R S | 14E | X | X | | | | | | X | X | N/A | 1 oz. | Standard | Standard | 60 | |
| | F10E | X | X | | | | | | X | X | N/A | 1 oz. | Grade 6 Standard; Grade 10 Optional | Standard | 62 | |
| | FB548 | | X | | | | | | 316 Stainless Steel | | | 1 oz. | Grade 6 Standard; Grade 10 Optional | Standard | 64 | |
| | 05E | | X | X | | | | | X | X | X | 2 oz. | Standard | Standard | 66 | |
| | 06E | | X | X | X | | | | X | X | X | 4.4 oz. | Standard | Standard | 68 | |
| | FB11 | | | | X | | | | 316 Stainless Steel | | | 4 oz. | Standard | Standard | 70 | |
| | 07E | | | X | X | X | | | X | X | X | 7.2 oz. | Standard | Standard | 72 | |
| | F12E | | | X | X | X | | N/A | X | N/A | 7.2 oz. | Grade 6 Standard; Grade 10 Optional | Standard | 74 | | |
| L U B R I C A T O R S | M15L | | X | X | | | | | X | N/A | X | 2 oz. | Cannot be filled under pressure | | 78 | |
| | M16L | | X | X | X | | | | X | N/A | X | 2.6 oz. | Cannot be filled under pressure | | 80 | |
| | M17L | | | X | X | X | | | X | N/A | X | 4.9 oz. | Cannot be filled under pressure | | 82 | |
| | M04L | X | X | | | | | | X | X | N/A | 1 oz. | Cannot be filled under pressure | | 86 | |
| | MFL10 | | | | X | | | | 316 Stainless Steel | | | 4 oz. | | 88 | | |
| | M P3NL | | | | | X | X | X | N/A | N/A | X | 18 oz. | Can be filled under perssure | | 90 | |
| C O M B O S | N I P P L E D | 14G | | X | | | | | X | X | N/A | 1 oz. | Two-Unit | Standard | 92 | |
| | | 14A | | X | | | | | X | X | N/A | 1 oz. | Three-Unit | Standard | | |
| | | 15G | | X | X | | | | | X | N/A | X | 2 oz. | Two-Unit | Standard | 100 |
| | | 15A | | X | X | | | | | X | N/A | X | 2 oz. | Three-Unit | Standard | |
| | | 16G | | X | X | X | | | | X | N/A | X | 2 oz. | Two-Unit | Standard | |
| | | 16A | | X | X | X | | | | X | N/A | X | 2 oz. | Three-Unit | Standard | |
| | | 17G | | | X | X | X | | | X | N/A | X | 2 oz. | Two-Unit | Standard | |
| | | 17A | | | X | X | X | | | X | N/A | X | 2 oz. | Three-Unit | Standard | |
| | M P3N3B | | | | | X | X | X | N/A | N/A | X | 18 oz. | Three-Unit | Standard | 106 | |
| | M O D U L A R | 15H | | X | X | | | | | X | N/A | X | 2 oz. | Two-Unit | Standard | 96 |
| | | 15B | | X | X | | | | | X | N/A | X | 2 oz. | Three-Unit | Standard | |
| | | 16H | | X | X | X | | | | X | N/A | X | 2 oz. | Two-Unit | Standard | 102 |
| | | 16B | | X | X | X | | | | X | N/A | X | 2 oz. | Three-Unit | Standard | |
| 17H | | | | X | X | X | | | X | N/A | X | 2 oz. | Two-Unit | Standard | | |
| 17B | | | | X | X | X | | | X | N/A | X | 2 oz. | Three-Unit | Standard | | |
| M P3NCB | | | | | X | X | X | N/A | N/A | X | 18 oz. | Three-Unit | Standard | 108 | | |

* sight gauge

