



**Product Selection Chart**

| Basic Unit          | Series   | Port Size (inches) |     |     |     |     |   | Bowls |                     |       | Capacity | Elements (Micron) | Page                        |    |
|---------------------|----------|--------------------|-----|-----|-----|-----|---|-------|---------------------|-------|----------|-------------------|-----------------------------|----|
|                     |          | 1/8                | 1/4 | 3/8 | 1/2 | 3/4 | 1 | 1 1/2 | Poly                | Metal |          | Metal SG*         |                             | 5  |
| F I L T E R S       | 14F      | X                  | X   |     |     |     |   |       | X                   | X     | N/A      | 1 oz.             | Standard                    | 10 |
|                     | FF504    |                    | X   |     |     |     |   |       | 316 Stainless Steel |       |          | 1 oz.             | Standard                    | 12 |
|                     | 05F      |                    | X   | X   |     |     |   |       | X                   | N/A   | X        | 2 oz.             | Standard                    | 14 |
|                     | 06F      |                    | X   | X   | X   |     |   |       | X                   | N/A   | X        | 4.4 oz.           | Standard                    | 16 |
|                     | FF10     |                    |     |     | X   |     |   |       | 316 Stainless Steel |       |          | 4 oz.             | Standard                    | 18 |
|                     | 07F      |                    |     | X   | X   | X   |   |       | X                   | N/A   | X        | 7.2 oz.           | Standard                    | 20 |
|                     | P3NF     |                    |     |     |     | X   | X | X     | N/A                 | N/A   | X        | 18 oz.            | Standard                    | 22 |
| C O A L E S C E R S | Q*S, H*S | X                  | X   |     |     |     |   |       | X                   | X     | N/A      | 1 oz.             | Grade 6 Std., Grade 10 Opt. | 26 |
|                     | FF501    |                    | X   |     |     |     |   |       | 316 Stainless Steel |       |          | 1 oz.             | Grade 6                     | 28 |
|                     | 15F      |                    | X   | X   |     |     |   |       | X                   | N/A   | X        | 2 oz.             | Grade 6 Std., Grade 10 Opt. | 30 |
|                     | 11F      |                    | X   | X   | X   |     |   |       | X                   | N/A   | X        | 4.4 oz.           | Grade 6 Std., Grade 10 Opt. | 32 |
|                     | FF11     |                    |     |     | X   |     |   |       | 316 Stainless Steel |       |          | 4 oz.             | Grade 6                     | 34 |
|                     | 12F      |                    |     | X   | X   | X   |   |       | X                   | N/A   | X        | 7.2 oz.           | Grade 6 Std., Grade 10 Opt. | 36 |

| Basic Unit          | Series          | Port Size (inches) |     |     |     |     |   | Spring | Page     |          |
|---------------------|-----------------|--------------------|-----|-----|-----|-----|---|--------|----------|----------|
|                     |                 | 1/8                | 1/4 | 3/8 | 1/2 | 3/4 | 1 | 1 1/2  |          | 125      |
| R E G U L A T O R S | S T A N D A R D | 14R                | X   | X   |     |     |   |        | Standard | 40       |
|                     |                 | FR364              |     | X   |     |     |   |        | Standard | 42       |
|                     |                 | 05R                |     | X   | X   |     |   |        | Standard | 44       |
|                     |                 | 06R                |     | X   | X   | X   |   |        | Standard | 46       |
|                     |                 | FR10               |     |     |     | X   |   |        | Standard | 48       |
|                     |                 | 07R                |     |     | X   | X   | X |        | Standard | 50       |
|                     |                 | P3NR               |     |     |     |     | X | X      | X        | Standard |
|                     | P I L O T       | 11R                |     | X   | X   | X   |   |        | -        | 54       |
|                     |                 | 12R                |     |     | X   | X   | X |        | -        | 56       |

\* sight gauge

Product Selection Chart

| Basic Unit         | Series  | Port Size (inches) |     |     |     |     |   |       | Bowls               |       |           | Capacity                            | Elements (Micron)<br>5              | Spring Range | Page     |     |
|--------------------|---------|--------------------|-----|-----|-----|-----|---|-------|---------------------|-------|-----------|-------------------------------------|-------------------------------------|--------------|----------|-----|
|                    |         | 1/8                | 1/4 | 3/8 | 1/2 | 3/4 | 1 | 1 1/2 | Poly                | Metal | Metal SG* |                                     |                                     | 125          |          |     |
| FILTER / REGULATOR | 14E     | X                  | X   |     |     |     |   |       | X                   | X     | N/A       | 1 oz.                               | Standard                            | Standard     | 60       |     |
|                    | F10E    | X                  | X   |     |     |     |   |       | X                   | X     | N/A       | 1 oz.                               | Grade 6 Standard; Grade 10 Optional | Standard     | 62       |     |
|                    | FB548   |                    | X   |     |     |     |   |       | 316 Stainless Steel |       |           | 1 oz.                               | Grade 6 Standard; Grade 10 Optional | Standard     | 64       |     |
|                    | 05E     |                    | X   | X   |     |     |   |       | X                   | X     | X         | 2 oz.                               | Standard                            | Standard     | 66       |     |
|                    | 06E     |                    | X   | X   | X   |     |   |       | X                   | X     | X         | 4.4 oz.                             | Standard                            | Standard     | 68       |     |
|                    | FB11    |                    |     |     | X   |     |   |       | 316 Stainless Steel |       |           | 4 oz.                               | Standard                            | Standard     | 70       |     |
|                    | 07E     |                    |     | X   | X   | X   |   |       | X                   | X     | X         | 7.2 oz.                             | Standard                            | Standard     | 72       |     |
|                    | F12E    |                    |     | X   | X   | X   |   | N/A   | X                   | N/A   | 7.2 oz.   | Grade 6 Standard; Grade 10 Optional | Standard                            | 74           |          |     |
| LUBRICATOR         | 15L     |                    | X   | X   |     |     |   |       | X                   | N/A   | X         | 2 oz.                               | Cannot be filled under pressure     |              | 78       |     |
|                    | 16L     |                    | X   | X   | X   |     |   |       | X                   | N/A   | X         | 2.6 oz.                             | Cannot be filled under pressure     |              | 80       |     |
|                    | 17L     |                    |     | X   | X   | X   |   |       | X                   | N/A   | X         | 4.9 oz.                             | Cannot be filled under pressure     |              | 82       |     |
|                    | 04L     | X                  | X   |     |     |     |   |       | X                   | X     | N/A       | 1 oz.                               | Cannot be filled under pressure     |              | 86       |     |
|                    | FL10    |                    |     |     | X   |     |   |       | 316 Stainless Steel |       |           | 4 oz.                               |                                     | 88           |          |     |
|                    | P3NL    |                    |     |     |     | X   | X | X     | N/A                 | N/A   | X         | 18 oz.                              | Can be filled under perssure        |              | 90       |     |
| COMBOS             | NIPPLED | 14G                |     | X   |     |     |   |       | X                   | X     | N/A       | 1 oz.                               | Two-Unit                            | Standard     | 92       |     |
|                    |         | 14A                |     | X   |     |     |   |       | X                   | X     | N/A       | 1 oz.                               | Three-Unit                          | Standard     |          |     |
|                    |         | 15G                |     | X   | X   |     |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Two-Unit     | Standard | 94  |
|                    |         | 15A                |     | X   | X   |     |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Three-Unit   | Standard |     |
|                    |         | 16G                |     | X   | X   | X   |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Two-Unit     | Standard | 100 |
|                    |         | 16A                |     | X   | X   | X   |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Three-Unit   | Standard |     |
|                    |         | 17G                |     |     | X   | X   | X |       |                     | X     | N/A       | X                                   | 2 oz.                               | Two-Unit     | Standard |     |
|                    |         | 17A                |     |     | X   | X   | X |       |                     | X     | N/A       | X                                   | 2 oz.                               | Three-Unit   | Standard |     |
|                    | P3N3B   |                    |     |     |     | X   | X | X     | N/A                 | N/A   | X         | 18 oz.                              | Three-Unit                          | Standard     | 106      |     |
|                    | MODULAR | 15H                |     | X   | X   |     |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Two-Unit     | Standard | 96  |
|                    |         | 15B                |     | X   | X   |     |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Three-Unit   | Standard |     |
|                    |         | 16H                |     | X   | X   | X   |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Two-Unit     | Standard | 102 |
|                    |         | 16B                |     | X   | X   | X   |   |       |                     | X     | N/A       | X                                   | 2 oz.                               | Three-Unit   | Standard |     |
| 17H                |         |                    |     | X   | X   | X   |   |       | X                   | N/A   | X         | 2 oz.                               | Two-Unit                            | Standard     |          |     |
| 17B                |         |                    | X   | X   | X   |     |   | X     | N/A                 | X     | 2 oz.     | Three-Unit                          | Standard                            |              |          |     |
|                    | P3NCB   |                    |     |     |     | X   | X | X     | N/A                 | N/A   | X         | 18 oz.                              | Three-Unit                          | Standard     | 108      |     |

\* sight gauge