
# **Conveyor Pulleys**

A Complete Line of Pulleys for Every Application





#### Standard Sizes

(Custom sizes available on request)

- Diameters: Up to 60"
- Face Widths: Up to 120"
- ▶ Shafting: Up to 15"

#### **Frequently Asked Questions**

#### How do I know which class is for me?


► There are charts on the next page that help to define applications and match them with specific classes. For an exact match, consider our Core Systems<sup>™</sup> Design team. The group of engineers review the specs of your application and design a pulley specific to the job.

#### What are Superior's limitations?

The specs listed above are considered our standard product line; however that doesn't mean we cannot go outside of the box for you. If your application specs extend outside our standard listing, contact us to discuss how we can help design and build your big conveyor pulley.

#### Where can I purchase Superior pulleys?

We have teamed up with some of the top distributors in North America to provide you with local sales, service and deliveries. For a listing of our partners, visit superior-ind.com/distributor.



#### Fig 17.1 Drive Weight Stress Test



### **Features and Benefits**

#### **Fast Lead Times**

- 1-2 day turnarounds
- ► Expediting services available
- ▶ 10 warehouses stocked with standard products (Fig 17.3)
- ▶ North American distribution network

#### **Comprehensive Product Line**

- From light, portable applications to high tonnage, extreme jobs
- ▶ CEMA, Mine 1.5, Mine 2.0, Super and Engineered Classes
- Specialty: Spiral drums and wings, deflection wheels and dead shaft conveyor pulleys

#### Performance Matched Design

- Complete assembly by Superior including bearings, couplings, gearing, etc.
- Engineers apply Finite Element Analysis (FEA) to build per application stress conditions (Fig 17.1)

#### **Quality Craftsmanship**

- ▶ Robotic welding machines for consistent, quality welds
- ► Hand welders trained and certified by American Welding Society (AWS)



### **Conveyor Pulleys**

Pulley Product Line							
Description	CEMA Duty	Mine Duty 1.5	Mine Duty 2.0	Super Duty	Core Systems™ Design		
Wing Pulleys		-			-		
Drum Pulleys							
Chevron <sup>®</sup> Wing Pulley		_			-		
Design Standards	Load, dimensions and crown defined by ANSI B105.1	Roughly 1.5X service factor of CEMA standard	Roughly 2.0X service factor of CEMA standard	Exceeds 2.0X service factor of CEMA standard	Engineered class, FEA Analysis Design, construction based on belt tension, conveyor load, and belt wrap		
Conveyor Type	Light duty, portable	Medium duty	Heavy duty	Extra heavy duty	High tonnage		
Belt Style	Fabric	Fabric	Fabric	Fabric	Steel cable or fabric		
Belt Burden	Not started under load	Started under moderate load	Started under full load	Started under full load	Started under full load		
Starts and Stops	Infrequent	Moderate	Frequent	Frequent	Frequent		
Load/Feed Characteristics	Uniformly loaded	Uniformly loaded	Non-uniformly loaded	Non-uniformly loaded	Non-uniformly loaded		

Pulley Product Line						
Pulley Types	Diameter	Integral Hub Diameter	Face Width	Contact Bar Thickness		
CEMA Drum Pulley	4"- 60"	12" and under	12"- 78"	-		
CEMA Wing Pulley	6"- 60"	-	12"- 78"	1/4" x 1-1/2" minimum, 3/8" x 1-1/2", 5/8" x 1-1/2"		
Mine Duty 1.5 Drum Pulley	10"- 60"	12" and under	12"- 78"	-		
Mine Duty 2.0 Drum Pulley	10"- 60"	12" and under	12"- 102"	-		
Mine Duty 2.0 Wing Pulley	8"- 60"	-	12"- 78"	5/8" x 1-1/2" minimum		
Super Drum Pulley	10"- 60"	12" and under	12"- 102"	-		
Super Wing Pulley	10"- 60"	_	12"- 78"	3/4" x 2" minimum		
CEMA Chevron® Wing Pulley	10"- 20"	AII CEMA	12"- 63"	1" x 1/2" half round bar		
Mine Duty Chevron® Wing Pulley	12"- 36"	-	12"- 63"	1" round bar		
Super Chevron <sup>®</sup> Wing Pulley	12"- 42"	-	20"- 75"	1-1/2" round bar		

\*NOTE: Other diameters and face widths available upon request. Several hub and bushing types are available with all pulleys.




### **Pulley Product Line**





Jamieson Equipment Company www.jamiesonequipment.com toll free 800.875.0280

### **Quick Deliveries**



## **Pulley Lagging**

